

SQL Queries

- Principal form:

```
SELECT desired attributes
FROM tuple variables —
      range over relations
WHERE condition about t.v.'s;
```

Running example relation schema:

```
Beers(name, manf)
Bars(name, addr, license)
Drinkers(name, addr, phone)
Likes(drinker, beer)
Sells(bar, beer, price)
Frequents(drinker, bar)
```

Example

What beers are made by Anheuser-Busch?

```
Beers(name, manf)
```

```
SELECT name
```

```
FROM Beers
```

```
WHERE manf = 'Anheuser-Busch';
```

- Note single quotes for strings.

name

Bud

Bud Lite

Michelob

Formal Semantics of Single-Relation SQL Query

1. Start with the relation in the FROM clause.
2. Apply σ , using condition in WHERE clause.
3. Apply π using attributes in SELECT clause.

Equivalent Operational Semantics

Imagine a *tuple variable* ranging over all tuples of the relation. For each tuple:

- Check if it satisfies the WHERE clause.
- Print the attributes in SELECT, if so.

Star as List of All Attributes

Beers(name, manf)

```
SELECT *  
FROM Beers  
WHERE manf = 'Anheuser-Busch';
```

name	manf
Bud	Anheuser-Busch
Bud Lite	Anheuser-Busch
Michelob	Anheuser-Busch

Renaming columns

```
Beers(name, manf)
```

```
SELECT name AS beer
```

```
FROM Beers
```

```
WHERE manf = 'Anheuser-Busch';
```

beer

Bud

Bud Lite

Michelob

Expressions as Values in Columns

Sells(bar, beer, price)

```
SELECT bar, beer,  
       price*106 AS priceInYen  
FROM Sells;
```

bar	beer	priceInYen
Joe's	Bud	265
Sue's	Miller	318
...

- Note no WHERE clause OK.

- Trick: If you want an answer with a particular string in each row, use that constant as an expression.

```
Likes(drinker, beer)
```

```
SELECT drinker,  
       'likes Bud' AS whoLikesBud  
FROM Likes  
WHERE beer = 'Bud';
```

drinker	whoLikesBud
Sally	likes Bud
Fred	likes Bud
...	...

Example

Find the price Joe's Bar charges for Bud.

```
Sells(bar, beer, price)
```

```
SELECT price  
FROM Sells  
WHERE bar = 'Joe' 's Bar' AND  
       beer = 'Bud';
```

- Note: two single-quotes in a character string represent one single quote.
- Conditions in WHERE clause can use logical operators AND, OR, NOT and parentheses in the usual way.
- Remember: SQL is *case insensitive*. Keywords like SELECT or AND can be written upper/lower case as you like.
 - ❖ Only inside quoted strings does case matter.

Patterns

- % stands for any string.
- _ stands for any one character.
- “Attribute LIKE pattern” is a condition that is true if the string value of the attribute matches the pattern.
 - ❖ Also NOT LIKE for negation.

Example

Find drinkers whose phone has exchange 555.

```
Drinkers(name, addr, phone)
```

```
SELECT name
```

```
FROM Drinkers
```

```
WHERE phone LIKE '%555-____';
```

- Note patterns must be quoted, like strings.

Multirelation Queries

- List of relations in FROM clause.
- Relation-dot-attribute disambiguates attributes from several relations.

Example

Find the beers that the frequenters of Joe's Bar like.

```
Likes(drinker, beer)
```

```
Frequents(drinker, bar)
```

```
SELECT beer
```

```
FROM Frequents, Likes
```

```
WHERE bar = 'Joe''s Bar' AND
```

```
    Frequents.drinker = Likes.drinker;
```

Formal Semantics of Multirelation Queries

Same as for single relation, but start with the product of all the relations mentioned in the FROM clause.

Operational Semantics

Consider a tuple variable for each relation in the FROM.

- Imagine these tuple variables each pointing to a tuple of their relation, in all combinations (e.g., nested loops).
- If the current assignment of tuple-variables to tuples makes the WHERE true, then output the attributes of the SELECT.

	drinker	bar
f	Sally	Joe's

Frequents

	drinker	beer
	Sally	

Likes

Explicit Tuple Variables

Sometimes we need to refer to two or more copies of a relation.

- Use *tuple variables* as aliases of the relations.

Example

Find pairs of beers by the same manufacturer.

```
Beers(name, manf)
```

```
SELECT b1.name, b2.name  
FROM Beers b1, Beers b2  
WHERE b1.manf = b2.manf AND  
      b1.name < b2.name;
```

- SQL2 permits AS between relation and its tuple variable; Oracle 8 does not.
- Note that `b1.name < b2.name` is needed to avoid producing (Bud, Bud) and to avoid producing a pair in both orders.

Subqueries

Result of a select-from-where query can be used in the where-clause of another query.

Simplest Case: Subquery Returns a Single, Unary Tuple

Find bars that serve Miller at the same price Joe charges for Bud.

```
Sells(bar, beer, price)
```

```
SELECT bar
FROM Sells
WHERE beer = 'Miller' AND
      price =
      (SELECT price
       FROM Sells
       WHERE bar = 'Joe''s Bar' AND
              beer = 'Bud'
      );
```

- Notice the *scoping rule*: an attribute refers to the most closely nested relation with that attribute.
- Parentheses around subquery are essential.

The IN Operator

“Tuple IN relation” is true iff the tuple is in the relation.

Example

Find the name and manufacturer of beers that Fred likes.

```
Beers(name, manf)
Likes(drinker, beer)
```

```
SELECT *
FROM Beers
WHERE name IN
    (SELECT beer
     FROM Likes
     WHERE drinker = 'Fred'
    );
```

- Also: NOT IN.

EXISTS

“EXISTS(relation)” is true iff the relation is nonempty.

Example

Find the beers that are the unique beer by their manufacturer.

```
Beers(name, manf)

SELECT name
FROM Beers b1
WHERE NOT EXISTS(
    SELECT *
    FROM Beers
    WHERE manf = b1.manf AND
           name <> b1.name
);
```

- Note scoping rule: to refer to outer `Beers` in the inner subquery, we need to give the outer a tuple variable, `b1` in this example.
- A subquery that refers to values from a surrounding query is called a *correlated subquery*.

Quantifiers

ANY and ALL behave as existential and universal quantifiers, respectively.

- Beware: in common parlance, “any” and “all” seem to be synonyms, e.g., “I am fatter than any of you” vs. “I am fatter than all of you.”
But in SQL:

Example

Find the beer(s) sold for the highest price.

```
Sells(bar, beer, price)
```

```
SELECT beer
FROM Sells
WHERE price >= ALL(
    SELECT price
    FROM Sells
);
```

Class Problem

Find the beer(s) not sold for the lowest price.